



ENGINEERING THE EVOLUTION OF WORKSPACES

Introducing CB Classic,  
our inaugural range of acoustically  
absorbent privacy pods. With its sleek  
design and rounded corners, it adds  
aesthetic appeal to any space while  
incorporating our advanced sound  
absorption technology. This pod offers a  
distraction-free environment, enabling  
you to personalize a comfortable and  
productive workspace.

[WWW.CODESIGNS.CO.ZA](http://WWW.CODESIGNS.CO.ZA)



CB-CLASSIC  
B R O C H U R E



# INTRODUCTION

WE ARE C.O DESIGNS

With more employees returning to the office, open-plan settings have become common.

However, concentrating on individual tasks is challenging due to constant distractions in this layout.

The prevalence of audio-visual, Zoom, and Teams calls further disrupts colleagues in the vicinity.

Additionally, many conversations require privacy, making it difficult in an open-plan environment.

Therefore, there is a growing demand for spaces with enhanced sound insulation and visually demarcated areas that signal a need for uninterrupted focus.

[WWW.CODESIGNS.CO.ZA](http://WWW.CODESIGNS.CO.ZA)



CHATTERBOX CLASSIC RANGE



CHATTERBOX CLASSIC RANGE

# CB-CLASSIC

PRIVACY POD RANGE

A high performing fully enclosed & freestanding acoustic booth that facilitates private conversations, conference calls and concentrative work.

On entering the pods the motion sensor activates the lights and ventilation system. The pod is fitted with a plugset that allows the user to connect their devices with ease.



# DESIGN:

CB-CLASSIC POD

The ChatterBox Classic range was designed in consultation with acoustic engineers to create an acoustic comfort level that is conducive to distraction free conversation and concentrated thought processes, making it ideal as a phone booth, private meeting space, agile/activity based, or as a collaborative work space

It is designed to be dismantled, moved in close proximity, and reassembled in about a day. It is installed with or without building services integration and with minimal disruption and downtime.





# DIMENSIONS:

CB - CLASSIC RANGE

**Solo Phone Pod:**

1100 x 1100 x 2300mmH

**Solo Task Pod:**

1550 x 1100 x 2300mmH

**Focus Task Pod:**

2200 x 1100 x 2300mmH

**2-Seater Meeting Pod:**


2200 x 1100 x 2300mmH

**2-Seater Task Pod:**

2200 x 2200 x 2300mmH

**4-Seater Meeting Pod:**


2200 x 2200 x 2300mmH





# CB-CLASSIC

SOLO PHONE POD



The dimensions of these privacy pods offer modularity. This ensures scalability for the office layout. The pods can be placed around the office for aesthetics or can be clustered for visual appeal.

**Overall Dimension: 4400x1100**





# CB-CLASSIC

SOLO PHONE POD



**Size**

1100 x 1100 x 2300mmH



**Accommodates**

1 person

**Standard Features:**



**Ventilation** high performance low-noise fans



**Fitted plugset** with AC supply cable



**LED lighting** activated by PIR sensor



**Fitted worktop** at seated or standing height



**PIR motion sensor** to reduce energy consumption



**Sound reduction** measured insitu: 23-27dB





# CB-CLASSIC

SOLO TASK POD

The dimensions of these contemporary privacy pods offer a distinctive modularity, enabling them to be seamlessly connected to form collaborative clusters.

**Overall Dimension: 3100x2200**





# CB-CLASSIC

SOLO TASK POD



**Size**

1550 x 1100 x 2300mmH



**Accommodates**

1 person

**Standard Features:**



**Ventilation** high performance low-noise fans



**Fitted plugset** with AC supply cable



**LED lighting** activated by PIR sensor



**Fitted worktop** at seated or standing height



**PIR motion sensor** to reduce energy consumption



**Sound reduction** measured insitu: 23-27dB





# MEETING POD

## CHATTERBOX CLASSIC

The enclosed space allows for improved privacy and reduced distraction caused by noise from the surrounding environment.

It is ideal for private conversations and meetings for two to four people.






# CB - CLASSIC

FOCUS TASK POD



**Size**

2200 x 1100 x 2300mmH



**Accommodates**

1 person

**Standard Features:**



**Ventilation** high performance low-noise fans




**Fitted plugset** with AC supply cable



**LED lighting** activated by PIR sensor



**Fitted worktop** at seated height



**PIR motion sensor** to reduce energy consumption




**Sound reduction** measured insitu: 23-27dB



CHATTERBOX CLASSIC RANGE

# CB-CLASSIC

2 SEATER MEETING POD



**Size**

2200 x 1100 x 2300mmH




**Accommodates**

2 person

**Standard Features:**



**Ventilation** high performance low-noise fans




**Fitted plugset** with AC supply cable



**LED lighting** activated by PIR sensor



**Fitted worktop** at seated or standing height



**PIR motion sensor** to reduce energy consumption



**Sound reduction** measured insitu: 25-28dB



# RELOCATION

## PRIVACY POD RANGE

The ChatterBox Classic pod has been purposefully crafted for swift assembly, disassembly, and the effortless relocation and reassembly, all achievable within a single day. This attribute guarantees that any alterations to your workspace can be carried out with minimal disruption or inconvenience, ensuring a seamless and trouble-free experience.

[WWW.CODESIGNS.CO.ZA](http://WWW.CODESIGNS.CO.ZA)

CHATTERBOX CLASSIC RANGE







# AIR CIRCULATION

## & VENTILATION

CB-Classic is actively ventilated. Air is drawn into the pod by low-noise fans which have been further attenuated. Cool, air is introduced at floor level, whilst stale air is removed through the ceiling.

The air supply is compliant with SABS 10400 and is sufficient for the number of occupants the unit is designed for.

Air changes are typically 30-40 times per hour providing about 20L/per/sec. The building HVAC ventilation can be accommodated if required.





# LED LIGHTING & POWER:

CB-CLASSIC RANGE


Various types of power docks are available for the worktops and tables. LED lighting which is activated by a motion thermal sensor is housed within the ceiling.


All wiring is concealed in raceways within the panels, whilst external power can be supplied via power skirting or underfloor.









# CB-CLASSIC


4 SEATER MEETING POD

 **Size**  
2200 x 2200 x 2300mmH

 **Accommodates**  
4 person

### Standard Features:

-  **Ventilation** high performance low-noise fans
-  **Fitted plugset** with AC supply cable
-  **LED lighting** activated by PIR sensor
-  **Fitted worktop** at seated or standing height
-  **PIR motion sensor** to reduce energy consumption
-  **Sound reduction** measured insitu: 23-27dB





# ACOUSTIC PERFORMANCE:

CB-CLASSIC MEETING RANGE

The wall panels, ceiling, and ventilation system have been designed to provide good sound isolation/blocking properties to reduce the transmission of sound & noise from inside or outside the unit. In addition sound absorption is added to enhance the comfort in the space. The walls and ceiling reduce sound by as much as 30dB, whilst the glazing reduces sound and noise transmission by approximately 35dB. In situ the **sound reduction is between 25 - 28dB.**

The sound blocking materials reduce the transmission of sound through the wall panels, promoting speech privacy from within and blocking interfering noise from without.

The sound absorption materials soak up excess sound energy and reduce the intense unpleasant effect of sound bouncing around in a confined space, creating a calmer more private ambience with improved vocal clarity.





# CO DESIGNS

ENGINEERING THE EVOLUTION OF WORKSPACES

FOR MORE INFORMATION:

Email: [info@codesigns.co.za](mailto:info@codesigns.co.za)

Johannesburg: 011 463 1953

Cape Town: 021 534 1530

[www.codesigns.co.za](http://www.codesigns.co.za)